

focus

Immune modulation and intestinal permeability go hand in hand



Increased intestinal permeability & resulting lowgrade inflammation are major contributors in:

- auto-immune dysfunction
- neuroinflammation
- neurodegenerative pathology

Supportive treatments modulate immunity and repair gastro-intestinal lining.



signaling transduction messengers Homeostatis INJURED





Webinar

Various scientific based indications for Bio-available Butyrate

> watch webinar

www.youtube.com/watch?v=1h5r9kBoz48

Gut protocol



Global intestinal support is a multilevel support

Optimize gastric acid level

- Prevents pathogenic overgrowth
- First line defense
- Essential for activation of the pancreas to release digestive enzymes
- Digestive breakdown of polypeptides into individual amino acids (auto-immune reactivity is reduced if separate amino acids)

Enzyme complex to optimize digestion (including gluten modifying enzymes)

Targeted released Glutamine & cofactors heal the mucosal lining

- Reduce inflammation
- Improve the synthesis of s IgA by the intestinal lymphocytes

Butyrate coated

- Immune tolerance intestinal & systemic
- s IgA barrier
- Mucus barrier
- Epithelial barrier



protecting our health

order@nutrined.nl _ +3113 820 03 31 _ www.nutrined.com



Guttae Pepsini

indication	Stomach acid deficiency Poor digestion Intestinal malabsorption Rebuilds intestinal pH	
dosage	3 x 10 - 20 drops per day at the start of each meal, dilute in water and swallow immediately	
packaging	30 ml per bottle	
composition (amount per 30 drops)	Purified water Glycerol Hydrochloric acid HCl 37% Pepsine	5,3 ml 10 ml 2,7 ml 2 ml

Gluten DPP IV Complex

indication	DPP-IV proteolytic enzyme complex Breaks down proline residues in Gluten and decreases the intestinal immune reaction Intolerance for gluten and/or casein Indigestion, gas, bloating, constipation and diarrhea		
dosage	3 x 1 cap per day at the beginning of each meal		
packaging	90 vegecaps per container		
composition (amount per 3 vegecaps)	Protease IV Lactase Protease (zuur en neutraal) Amylase Maltodextrine Gluco-amylase Invertase Lipase	60 mg 60 mg 70,35 mg 30 mg 24,45 mg 15 mg 6 mg 4,2 mg	





Perm Plus Coated

indication	Rebuilding intestinal permeability and immunity with targeted released molecules	
dosage	The first month: 3 x 2 tablets per day Then take 3 x 1 tablet per day 20 min. before food	
packaging	90 tablets per container	
composition (amount per 3 tablets)	L-Glutamine N-Acetyl-D - Glucosamine N-Acetylcystein Liquorice root powder (Glycyrrhiza Glabra L.) Gamma oryzanol L-Carnosine Zinc (as zinc bisglycinate and zinc methionin)	975 mg 375 mg 300 mg 255 mg 180 mg 60 mg 22,5 mg

Butyflam Coated

Butyrate is a short-chain fatty acid produced by the intestinal bacteria through fermentation of non-digestible fibers. Butyflam Coated delivers bioavailable levels of butyrate in our intestines to guarantee immune tolerance and avoid excessive inflammation or auto-immune reactions.

indication	Neuroinflammation Immune modulating (T reg + IL-10 anti-inflammation) Remodeling intestinal barrier function
dosage	3 x 2 caps per day, 20 minutes before meals
packaging	180 coated caps per container
composition (amount per 6 caps)	Butyrate - 3000 mg

Samenstelling

Sodium Butyate

NUTRINED

Butyflam

cóated

180 coated caps

116,60 g e Voedingssupplement complément alimentaire Food supplement